NOTICE TO BIDDERS

Faulkner County will be accepting sealed bids for a 2023 8x8 amphibious vehicle.

Bid specifications and Submittal forms may be obtained from the Faulkner County Judge's Office. Bids will be accepted until Wednesday, December 27, 2023, at 9 a.m. at which time they will be opened at the Faulkner County Judge's Office, located at 801 Locust Street Conway AR, 72034. Faulkner County reserves the right to accept or reject any or all bids placed and waive formalities.

Successful bidder shall be licensed, sufficiently insured, and bonded to supply the vehicle.

Bids should be submitted in total including taxes, for the price to be paid by Faulkner County.

Direct questions and requests for clarifications related to this RFP to the Faulkner County Judge's Office at 501-450-4900.

This information is also available on our website at www.faulknercounty.org/business/rfp.

Bids may be mailed to:

Faulkner County Judge's Office Attn: 2023 Amphibious Vehicle Bid 801 Locust Street Conway AR, 72034

The Faulkner County Rescue Squad paid \$ for this publication.

BID INFORMATION AND BID SPECIFICATIONS

FOR

CONTRACTOR BIDDING PROJECT

THIS BID PACKET CONTAINS INFORMATION CONCERNING PROJECT FOR FAULKNER COUNTY, ARKANSAS COUNTY JUDGE ALLEN DODSON

2023 8x8 Amphibious Vehicle Bid

December 7, 2023

Date: December 7, 2023

Reference: 2023 8x8 Amphibious Vehicle

Bid is to be addressed to:

Faulkner County Judge's Office Attn: 2023 Amphibious Vehicle Bid

801 Locust Street Conway, AR 72034

BIDS ARE DUE ON Wednesday, December 27, 2023, by 9 a.m.

Bids may be mailed, or hand-delivered to the office of Judge Allen Dodson, County Judge, Faulkner County, Arkansas. All bids must be turned in prior to the 9:00 AM deadline.

*****Faxed, Phone, or e-mail bids will not be accepted.

*****All bids must be in a sealed envelope and marked Attn: 2023 8x8 Amphibious Vehicle Bid

Direct questions and requests for clarifications related to this RFP to the Faulkner County Judge's Office at 501-450-4900.

FAULKNER COUNTY SPECIFICATIONS

FOR ONE 8X8 AMPHIBIOUS VEHICLE

Engine:

Type	Gasoline EFI
Brand	Kubota
Power Output	57 HP / 42 kW
Displacement	1537 cc
Electrical	105 Amp
Cooling	Liquid-Cooled
Battery	65 Series

Transmission:

Transmission	Hydrostatic
Brakes	Hydrostatic and Hydraulic Braking

Controls

Steering	Ergonomic Left and Right Steering
	Controls
Instrumentation	Full Instrumentation Dash Panel
Gauges	Full Engine Power View & Diagnostics
	Fuel Gauge
	Volt Meter
	Hour Meter
	Coolant Temperature
	Hydraulic Temperature
Warning Lights	Check Engine
	Low Oil Pressure
	Neutral Light
	Parking/Emergency Brake

Chassis, Body & Lights

Frame	Powder-coated steel for long life and
	durability
Drive System	#60-2 (Twin 60) Roller Chain
Axels	1.500" Solid Steel
Body	Vacuum formed upper body, lower body
	and skid plate, made from High
	Molecular Weight Polyethylene
	(HMWPE)

Tires	26" x 14" x 12" Vendetta on 12"Bead
	Lock Rim
Track	16in wide over wheel track system
Lighting	LED Headlights & LED Tail Lights
	LED Brake & Reverse Lights w/
	Optional Steering Wheel

Performance

Speed-Land	17-25 mph (27-40 km/h)
Speed-Water	3 mph (5 km/h)
Load Capacity-Land	2,000 lbs. (907 kg)(distributed evenly)
	Less the weight of any accessories
Load Capacity-	1,000 lbs. (454 kg)(distributed evenly)
Water	Less the weight of any accessories
Turning Circle	Zero turning radius, machine counter-
	rotates
Towing Capacity	2,500 lbs. (1,134 kg)
Seating Capacity-	4 to 6
Land	
Seating Capacity-	2 to 4
Water	
Rear Bench Seat	Optional

Safety

Safety	Fold down Roll Over Protection System
	with seat belts for front two passengers.
	Rear Roll Over Protection System is
	available as an option. The hydrostatic
	precision control drive system enables
	safe control at all times while
	maneuvering in the most difficult terrains.
Fuel Capacity	10.5 US Gallons
Operating	All weather, all terrain, -40°F to +110°F (-
Conditions	40°C to +43°C)

Ground Clearance

Ground Clearance	14" at center of vehicle 8" outer edge of vehicle
Ground Pressure	On Tires: 2 psi

Tracks: 0.5 psi

Operation & Convenience

Self-Extraction	5,000 lb. Capacity
Winch	
Storage	Lockable glove box, Built in Cup
	Holders
	12.5" x 28" Insert area over Engine
	Cover
Electrical Output	12V Outlet, Dual Port USB Outlet
Bilge Pump	Standard

Weight & Dimensions

Shipping Weight	2,290 lbs
Dimensions	123" Long
	68" Wide
	79" High with Roll Bar Up, 61" High
	with Roll Bar Down (on 26 x 14 x 12"
	Vendetta Tires)
Approach and	25° Maximum
Departure Angles	

Warranty

Warranty	1 year or 500 hours limited warranty

Accessories

- 1. Cat walk float kit-XL
- 2. Dual wheel kit 8x8 (26x14x12 vendetta)
- 3. Auto chain and bearing lube system
- 4. XL/GT tie down kit
- 5. Synthetic winch rope upgrade
- 6. Twin rollbar package
- 7. XL windshield
- 8. Windshield wiper kit (XL)
- 9. Front to center roll bar brush cage
- 10. 5 Place gang switch panel with switches
- 11. 2-LED light bars-12"
- 12. 2-LED light bars-20"
- 13. Red beacon kit
- 14. Outboard motor system
- 15. XL amphibious trailer
- 16. 13" dual wheel kit for XL trailer (24x14x12 vendetta)

BID SHEET

Total Bid Price including taxes (7%):	
Total Bid Price including taxes (7%) with discount if prepaid in full:	
Delivery Date:	
Company Name:	
Company Representative (Print name):	
Company Representative (Signed Name):	
Phone Number:	
Email address:	